

Lecture 1 of 41

Computer Graphics (CG) Basics: Transformation Matrices & Coordinate Systems

William H. Hsu
Department of Computing and Information Sciences, KSU

KSOL course pages: <http://bit.ly/hGvXIH> / <http://bit.ly/VizrE>
Public mirror web site: <http://www.kddresearch.org/Courses/CIS636>
Instructor home page: <http://www.cis.ksu.edu/~bhsu>

Readings:
Wikipedia: vectors (<http://bit.ly/eBr109>), matrices (<http://bit.ly/fwpDwd>)
Sections 2.1 – 2.2, 13.2, 14.1 – 14.4, 17.1, Eberly 2^e – see <http://bit.ly/ieUq45>
Appendices 1-4, Foley, J. D., VanDam, A., Feiner, S. K., & Hughes, J. F. (1991). *Computer Graphics, Principles and Practice, Second Edition in C*.
McCauley (Senocaul.com) tutorial: <http://bit.ly/ZyNPD>

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Lecture Outline

- **CG Basics 1: Basic Precalculus and Linear Algebra for CG**
 - * Matrices and vectors: definitions, basic operations
 - * Vector spaces and affine spaces
 - * Translation, Rotation, Scaling aka T, R, S transformations
 - * Parametric equations (of lines, rays, line segments)
- **Importance to Computer Graphics**
 - * Points as vectors, transformation matrices
 - * Homogeneous coordinates
 - * TRS in viewing/normalizing transformation
 - * Intersections: clipping, ray tracing, etc.
- **Looking Forward**
 - * The week ahead: Viewing (Part 1 of 4), Lab 0
 - * Lab exercise: C/Linux, basic OpenGL setup (see KSOL)

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Where We Are

Lecture	Topic	Primary Source(s)
0	Course Overview	Chapter 1, Eberly 2 ^e
1	CG Basics: Transformation Matrices; Lab 0	Sections (6) 2.1, 2.2
2	Viewing 1: Overview, Projectors	§ 2.3 – 2.4, 2.8
3	Viewing 2: Viewing Transformation	§ 2.3 esp. 2.3.4; FVFH slides
4	Lab 1a: Flash & OpenGL Basics	Ch. 2, 16 ^e ; <i>Angel's Primer</i>
5	Viewing 3: Graphics Pipeline	§ 2.3 esp. 2.3.7; 2.5, 2.7
6	Scan Conversion 1: Lines, Midpoint Algorithm	§ 2.5.1, 3.1; FVFH slides
7	Viewing 4: Clipping & Culling; Lab 1b	§ 2.3.5, 2.4, 3.1.3
8	Scan Conversion 2: Polygons, Clipping Intro	§ 2.4, 2.5 esp. 2.5.4, 3.1.6
9	Surface Detail 1: Illumination & Shading	§ 2.5, 2.6.1 – 2.6.2, 4.3.2, 20.2
10	Lab 2a: Direct3D / DirectX Intro	§ 2.7; <i>Direct3D</i> handout
11	Surface Detail 2: Textures, OpenGL Shading	§ 2.6.3, 20.3 – 20.4, <i>Primer</i>
12	Surface Detail 3: Mappings, OpenGL Textures	§ 20.5 – 20.13
13	Surface Detail 4: Pixel/Vertex Shad.; Lab 2b	§ 3.1
14	Surface Detail 5: Direct3D Shading; OpenGL	§ 3.2 – 3.4; <i>Direct3D</i> handout
15	Demos 1: CGA, Fun; Scene Graphs; State	§ 4.1 – 4.3; <i>CGA</i> handout
16	Lab 3a: Shading & Transparency	§ 2.6, 20.1, <i>Primer</i>
17	Animation 1: Basics, Keyframes; HW/Exam	§ 5.1 – 5.2
18	Exam 1 review: Hour Exam 1 (evening)	Chapters 1 – 4, 20
19	Scene Graphs: Rendering; Lab 3b: Shader	§ 4.4 – 4.7
20	Demos 3: Surfaces; B-reps/Volume-Graphics	§ 8.3 – 8.5; <i>CGA</i> handout
		§ 10.4, 12.7, <i>Mesh</i> handout

Lightly-shaded entries denote the due date of a written problem set; heavily-shaded entries, that of a machine problem (programming assignment); blue-shaded entries, that of a paper review, and the green-shaded entry, that of the term project.
Green, blue and red letters denote exam review, exam, and exam solution review dates.

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Online Recorded Lectures for CIS 536/636 (Intro to CG)

- Project Topics for CIS 536/636
- Computer Graphics Basics (10)
 - * 1. Mathematical Foundations – Week 1 - 2
 - * 2. OpenGL Primer 1 of 3: Basic Primitives and 3-D – Weeks 2-3
 - * 3. Detailed Introduction to Projections and 3-D Viewing – Week 3
 - * 4. Fixed-Function Graphics Pipeline – Weeks 3-4
 - * 5. Rasterizing (Lines, Polygons, Circles, Ellipses) and Clipping – Week 4
 - * 6. Lighting and Shading – Week 5
 - * 7. OpenGL Primer 2 of 3: Boundaries (Meshes), Transformations – Weeks 5-6
 - * 8. Texture Mapping – Week 6
 - * 9. OpenGL Primer 3 of 3: Shading and Texturing, VBOs – Weeks 6-7
 - * 10. Visible Surface Determination – Week 8
- Recommended Background Reading for CIS 636
- Shared Lectures with CIS 736 (*Computer Graphics*)
 - * Regular in-class lectures (30) and labs (7)
 - * Guidelines for paper reviews – Week 6
 - * Preparing term project presentations, CG demos – Weeks 11-12

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Background Expected

- **Both Courses**
 - * Proficiency in C/C++ or strong proficiency in Java and ability to learn
 - * Strongly recommended: matrix theory or linear algebra (e.g., Math 551)
 - * At least 120 hours for semester (up to 150 depending on term project)
 - * Textbook: *3D Game Engine Design, Second Edition* (2006), Eberly
 - * Angel's *OpenGL: A Primer* recommended
- **CIS 536 & 636 Introduction to Computer Graphics**
 - * Fresh background in precalculus: Algebra 1-2, Analytic Geometry
 - * Linear algebra basics: matrices, linear bases, vector spaces
 - * Watch background lectures
- **CIS 736 Computer Graphics**
 - * Recommended: first course in graphics (background lectures as needed)
 - * OpenGL experience helps
 - * Read up on shaders and shading languages
 - * Watch advanced topics lectures; see list [before choosing project topic](#)

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Matrix and Vector Notation

- **Vector: Geometric Object with Length (Magnitude), Direction**
- **Vector Notation (General Form)**
 - * Row vector $\mathbf{v} = (v_1, v_2, \dots, v_{n-1}, v_n)$
 - * Column vector $\mathbf{v} = \begin{bmatrix} v_1 \\ v_2 \\ \vdots \\ v_{n-1} \\ v_n \end{bmatrix}$
- **Coordinates in \mathbb{R}^3 (Euclidean Space)**
 - * Cartesian (see <http://bit.ly/fsz1UC>) $\mathbf{a} = \{a_x, a_y, a_z\}$.
 - * Cylindrical (see <http://bit.ly/gt5v3u>) $\mathbf{v} = (r, \theta, h)$
 - * Spherical (see <http://bit.ly/f4CvMZ>) $\mathbf{v} = (\rho, \angle\theta, \angle\phi)$
- **Matrix: Rectangular Array of Numbers**

$$\mathbf{A} = \begin{bmatrix} 0 & -1 & -2 & -3 \\ 1 & 0 & -1 & -2 \\ 2 & 1 & 0 & -1 \end{bmatrix}$$

Wikipedia: Matrix (mathematics) <http://bit.ly/fwpDwd>

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 2 of 41 Computing & Information Sciences Kansas State University

Vector Operations: Dot & Cross Product, Arithmetic

- Dot Product aka Inner Product aka Scalar Product**

$$\mathbf{a} \cdot \mathbf{b} = \sum_{i=1}^n a_i b_i = a_1 b_1 + a_2 b_2 + \dots + a_n b_n$$
- $$\mathbf{a} \times \mathbf{b} = \begin{vmatrix} \mathbf{i} & \mathbf{j} & \mathbf{k} \\ a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \end{vmatrix}$$

$$\mathbf{a} \times \mathbf{b} = \begin{vmatrix} a_2 & a_3 \\ b_2 & b_3 \end{vmatrix} \mathbf{i} - \begin{vmatrix} a_1 & a_3 \\ b_1 & b_3 \end{vmatrix} \mathbf{j} + \begin{vmatrix} a_1 & a_2 \\ b_1 & b_2 \end{vmatrix} \mathbf{k}$$

$$\mathbf{a} \times \mathbf{b} = i a_2 b_3 + j a_3 b_1 + k a_1 b_2 - i a_3 b_2 - j a_1 b_3 - k a_2 b_1$$
- $$c\mathbf{v}$$

$$\mathbf{u} + \mathbf{v}$$

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Matrix Operations [2]: Addition & Multiplication

- Scalar Multiplication, Transpose**

$$2 \cdot \begin{bmatrix} 1 & 8 & -3 \\ 4 & -2 & 5 \end{bmatrix} = \begin{bmatrix} 2 \cdot 1 & 2 \cdot 8 & 2 \cdot (-3) \\ 2 \cdot 4 & 2 \cdot (-2) & 2 \cdot 5 \end{bmatrix} = \begin{bmatrix} 2 & 16 & -6 \\ 8 & -4 & 10 \end{bmatrix} \quad \begin{bmatrix} 1 & 2 & 3 \\ 0 & -6 & 7 \end{bmatrix}^T = \begin{bmatrix} 1 & 0 \\ 2 & -6 \\ 3 & 7 \end{bmatrix}$$
- $$\begin{bmatrix} 1 & 3 & 1 \\ 1 & 0 & 0 \end{bmatrix} + \begin{bmatrix} 0 & 0 & 5 \\ 7 & 5 & 0 \end{bmatrix} = \begin{bmatrix} 1+0 & 3+0 & 1+5 \\ 1+7 & 0+5 & 0+0 \end{bmatrix} = \begin{bmatrix} 1 & 3 & 6 \\ 8 & 5 & 0 \end{bmatrix}$$
- Matrix Multiplication**

$$A = \begin{bmatrix} a_{1,1} & a_{1,2} & \dots & a_{1,n} \\ \vdots & \vdots & \dots & \vdots \\ a_{m,1} & a_{m,2} & \dots & a_{m,n} \end{bmatrix} = \begin{bmatrix} A_1 \\ A_2 \\ \vdots \\ A_m \end{bmatrix} \quad B = \begin{bmatrix} b_{1,1} & \dots & b_{1,p} \\ b_{2,1} & \dots & b_{2,p} \\ \vdots & \dots & \vdots \\ b_{n,1} & \dots & b_{n,p} \end{bmatrix} = \begin{bmatrix} B_1 & B_2 & \dots & B_p \end{bmatrix}$$

$$A_i = [a_{i,1} \ a_{i,2} \ \dots \ a_{i,n}] \quad B_i = [b_{i,1} \ b_{i,2} \ \dots \ b_{i,p}]^T$$

$$AB = \begin{bmatrix} A_1 \\ A_2 \\ \vdots \\ A_m \end{bmatrix} \begin{bmatrix} B_1 & B_2 & \dots & B_p \end{bmatrix} = \begin{bmatrix} (A_1 \cdot B_1) & (A_1 \cdot B_2) & \dots & (A_1 \cdot B_p) \\ (A_2 \cdot B_1) & (A_2 \cdot B_2) & \dots & (A_2 \cdot B_p) \\ \vdots & \vdots & \dots & \vdots \\ (A_m \cdot B_1) & (A_m \cdot B_2) & \dots & (A_m \cdot B_p) \end{bmatrix}$$

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Linear Systems of Equations

- Definition: Linear System of Equations (LSE)**
 - Collection of linear equations (see <http://bit.ly/dNa2MO>)
 - Each of form $a_1 x_1 + a_2 x_2 + \dots + a_n x_n = b_i$
 - System shares same set of variables x_i
$$\begin{matrix} a_{11}x_1 + a_{12}x_2 + \dots + a_{1n}x_n = b_1 \\ a_{21}x_1 + a_{22}x_2 + \dots + a_{2n}x_n = b_2 \\ \vdots \\ a_{m1}x_1 + a_{m2}x_2 + \dots + a_{mn}x_n = b_m \end{matrix}$$
- Example**
 - 3 equations in 3 unknown

$$\begin{matrix} 3x + 2y - z = 1 \\ 2x - 2y + 4z = -2 \\ -x + \frac{1}{2}y - z = 0 \end{matrix}$$
 - Solution

$$\begin{matrix} x = 1 \\ y = -2 \\ z = -2 \end{matrix}$$

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Vector Spaces and Affine Spaces

- Vector Space: Set of Points with Addition, Multiplication by Constant**
 - Components
 - Set V of vectors $\mathbf{u}, \mathbf{v}, \mathbf{w}$ over which addition, scalar multiplication defined
 - Vector addition: $\mathbf{v} + \mathbf{w}$
 - Scalar multiplication: $\alpha \mathbf{v}$
 - Properties (necessary and sufficient conditions)
 - Addition: associative, commutative, identity ($\mathbf{0}$ vector such that $\forall \mathbf{v}, \mathbf{0} + \mathbf{v} = \mathbf{v}$), admits inverses ($\forall \mathbf{v}, \exists \mathbf{w}, \mathbf{v} + \mathbf{w} = \mathbf{0}$)
 - Scalar multiplication: satisfies $\forall \alpha, \beta, \mathbf{v}, (\alpha\beta)\mathbf{v} = \alpha(\beta\mathbf{v}), \forall \mathbf{v}, 1\mathbf{v} = \mathbf{v}, \forall \alpha, \beta, \mathbf{v}, (\alpha + \beta)\mathbf{v} = \alpha\mathbf{v} + \beta\mathbf{v}, \forall \alpha, \beta, \mathbf{v}, \alpha(\mathbf{v} + \mathbf{w}) = \alpha\mathbf{v} + \alpha\mathbf{w}$
 - Linear combination: $\alpha_1 \mathbf{v}_1 + \alpha_2 \mathbf{v}_2 + \dots + \alpha_n \mathbf{v}_n$
- Affine Space: Set of Points with Geometric Operations (No "Origin")**
 - Components
 - Set V of points P, Q, R and associated vector space
 - Operators: vector difference, point-vector addition
 - Affine combination (of P and Q by $t \in \mathbb{B}$): $P + t(Q - P)$
 - NB: for any vector space $(V, +, \cdot)$ there exists affine space (points $(V), V$)

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Linear and Planar Equations in Affine Spaces

- Equation of Line in Affine Space**
 - Let P, Q be points in affine space
 - Parametric form (real-valued parameter t)
 - Set of points of form $(1 - t)P + tQ$
 - Forms line passing through P and Q
 - Example
 - Cartesian plane of points (x, y) is an affine space
 - Parametric line between (a, b) and (c, d) :

$$L = \{((1 - t)a + tc, (1 - t)b + td) \mid t \in \mathbb{R}\}$$
- Equation of Plane in Affine Space**
 - Let P, Q, R be points in affine space
 - Parametric form (real-valued parameters s, t)
 - Set of points of form $(1 - s)((1 - t)P + tQ) + sR$
 - Forms plane containing P, Q, R

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

Vector Space Spans and Affine Spans

- Vector Space Span**
 - Definition – set of all linear combinations of a set of vectors
 - Example: vectors in \mathbb{B}^3
 - Span of single (nonzero) vector \mathbf{v} : line through the origin containing \mathbf{v}
 - Span of pair of (nonzero, noncollinear) vectors: plane through the origin containing both
 - Span of 3 of vectors in general position: all of \mathbb{B}^3
- Affine Span**
 - Definition – set of all affine combinations of a set of points P_1, P_2, \dots, P_n in an affine space
 - Example: vectors, points in \mathbb{B}^3
 - Standard affine plan of points $(x, y, 1)^T$
 - Consider points P, Q
 - Affine span: line containing P, Q
 - Also intersection of span, affine space

Wikimedia Commons, 2011 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

13

Subspaces

- **Intuitive Idea**
 - * \mathbb{R}^n vector or affine space of "equal or lower dimension"
 - * Closed under constructive operator for space
- **Linear Subspace**
 - * **Definition**
 - ⇒ Subset S of vector space $(V, +, \cdot)$
 - ⇒ Closed under addition $(+)$ and scalar multiplication (\cdot)
 - * **Examples**
 - ⇒ Subspaces of \mathbb{R}^3 : origin $(0, 0, 0)$, line through the origin, plane containing origin, \mathbb{R}^3 itself
 - ⇒ For vector v , $\{\alpha v \mid \alpha \in \mathbb{R}\}$ is a subspace (why?)
- **Affine Subspace**
 - * **Definition**
 - ⇒ Nonempty subset S of vector space $(V, +, \cdot)$
 - ⇒ **Closure** S' of S under point subtraction is a linear subspace of V
 - * **Important affine subspace of \mathbb{R}^3** : $\{(x, y, z, 1)\}$
 - * **Foundation of homogeneous coordinates, 3-D transformations**

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

14

Bases

- **Spanning Set (of Set S of Vectors)**
 - * **Definition**: set of vectors for which any vector in $\text{Span}(S)$ can be expressed as linear combination of vectors in spanning set
 - * **Intuitive idea**: spanning set "covers" $\text{Span}(S)$
- **Basis (of Set S of Vectors)**
 - * **Definition**
 - ⇒ Minimal spanning set of S
 - ⇒ **Minimal**: any smaller set of vectors has smaller span
 - * **Alternative definition**: linearly independent spanning set
- **Exercise**
 - * **Claim**: basis of subspace of vector space is always linearly independent
 - * **Proof**: by contradiction (suppose basis is dependent ... not minimal)
- **Standard Basis for \mathbb{R}^3** : i, j, k
 - * $E = \{e_1, e_2, e_3\}$, $e_1 = (1, 0, 0)^T$, $e_2 = (0, 1, 0)^T$, $e_3 = (0, 0, 1)^T$
 - * **How to use this as coordinate system?**

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

15

Coordinates and Coordinate Systems

- **Coordinates Using Bases**
 - * **Coordinates**
 - ⇒ Consider basis $B = \{v_1, v_2, \dots, v_n\}$ for vector space
 - ⇒ Any vector v in the vector space can be expressed as linear combination of vectors in B
 - ⇒ **Definition**: coefficients of linear combination are coordinates
 - * **Example**
 - ⇒ $E = \{e_1, e_2, e_3\}$, $i = e_1 = (1, 0, 0)^T$, $j = e_2 = (0, 1, 0)^T$, $k = e_3 = (0, 0, 1)^T$
 - ⇒ Coordinates of (a, b, c) with respect to E : $(a, b, c)^T$
- **Coordinate System**
 - * **Definition**: set of independent points in affine space
 - * **Affine span** of coordinate system is entire affine space
- **Exercise**
 - * Derive basis for associated vector space of arbitrary coordinate system
 - * (Hint: consider definition of affine span ...)

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

16

Using the Dot Product: Length/Norm & Distance

- **Length**
 - * **Definition**
 - ⇒ $\|v\| = \sqrt{v \cdot v}$
 - ⇒ $v \cdot v = \sum_i v_i^2$
 - * **aka Euclidean norm**
- **Applications of the Dot Product**
 - * **Normalization of vectors**: division by scalar length $\|v\|$ converts to **unit vector**
 - * **Distances**
 - ⇒ **Between points**: $\|Q - P\|$
 - ⇒ **From points to planes**
 - * **Generating equations (e.g., point loci)**: circles, hollow cylinders, etc.
 - * **Ray / object intersection equations**
 - * See A.3.5, FVD

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

17

Orthonormal Bases

- **Orthogonality**
 - * **Given**: vectors $u = (u_1, u_2, \dots, u_n)^T$, $v = (v_1, v_2, \dots, v_n)^T$
 - * **Definition**
 - ⇒ u, v are **orthogonal** if $u \cdot v = 0$
 - ⇒ In \mathbb{R}^2 , angle between orthogonal vectors is 90°
- **Orthonormal Bases**
 - * **Necessary and sufficient conditions**
 - ⇒ $B = \{b_1, b_2, \dots, b_n\}$ is basis for given vector space
 - ⇒ Every pair (b_i, b_j) is orthogonal
 - ⇒ Every vector b_i is of unit magnitude ($\|v_i\| = 1$)
 - * **Convenient property**: can just take dot product $v \cdot b_i$ to find coefficients in linear combination (coordinates with respect to B) for vector v

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

18

Cumulative Transformation Matrices: Basic T, R, S

- **T: Translation** (see http://en.wikipedia.org/wiki/Translation_matrix)
 - * **Given**
 - ⇒ Point to be moved – e.g., vertex of polygon or polyhedron
 - ⇒ Displacement vector (also represented as point)
 - * **Return**: new, displaced (translated) point of rigid body
- **R: Rotation** (see http://en.wikipedia.org/wiki/Rotation_matrix)
 - * **Given**
 - ⇒ Point to be rotated about axis
 - ⇒ Axis of rotation
 - ⇒ Degrees to be rotated
 - * **Return**: new, displaced (rotated) point of rigid body
- **S: Scaling** (see http://en.wikipedia.org/wiki/Scaling_matrix)
 - * **Given**
 - ⇒ Set of points centered at origin
 - ⇒ Scaling factor
 - * **Return**: new, displaced (scaled) point
- **General**: http://en.wikipedia.org/wiki/Transformation_matrix

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

19

Translation


- Rigid Body Transformation
- To Move p Distance and Magnitude of Vector v:

$$T_v p = \begin{bmatrix} 1 & 0 & 0 & v_x \\ 0 & 1 & 0 & v_y \\ 0 & 0 & 1 & v_z \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} p_x \\ p_y \\ p_z \\ 1 \end{bmatrix} = \begin{bmatrix} p_x + v_x \\ p_y + v_y \\ p_z + v_z \\ 1 \end{bmatrix} = p + v.$$

- Invertibility

$$T_v^{-1} = T_{-v}.$$

- Compositionality

$$T_u T_v = T_{u+v}.$$


Wikimedia Commons, 2008 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

20

Rotation

- Rigid Body Transformation
- Properties: Inverse = Transpose


$$Q^T Q = I = Q Q^T$$

$$\det Q = +1$$

- Idea: Define New (Relative) Coordinate System
- Example

$$Q = \begin{bmatrix} 0.6 & -0.8 & 0 \\ 0.8 & 0.6 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

- Rotations about x, y, and z Axes (using Plain 3-D Coordinates)

$$Q_x(\theta) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \cos \theta & -\sin \theta \\ 0 & \sin \theta & \cos \theta \end{bmatrix}, \quad Q_y(\theta) = \begin{bmatrix} \cos \theta & 0 & \sin \theta \\ 0 & 1 & 0 \\ -\sin \theta & 0 & \cos \theta \end{bmatrix}, \quad Q_z(\theta) = \begin{bmatrix} \cos \theta & -\sin \theta & 0 \\ \sin \theta & \cos \theta & 0 \\ 0 & 0 & 1 \end{bmatrix}$$



Wikimedia Commons, 2008 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 2 of 41 Computing & Information Sciences Kansas State University

21

Rotation as Change of Basis

- 3 x 3 rotation matrices
- 3 x 3 matrices that "rotate" world (leaving out w for simplicity)
- 3 unit vectors originally along x, y, z axes: moved to new positions
- Because of rigid-body rotation, new vectors are still:
 - * unit vectors
 - * perpendicular to each other
 - * compliant with "right hand rule"
- Any such matrix transformation = rotation
 - * about some axis
 - * by some amount
- Let's call these x, y, and z-axis-aligned unit vectors e_1, e_2, e_3
- Writing out (these are also called i, j, k):

$$e_1 = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, \quad e_2 = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}, \quad e_3 = \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$$


Adapted from slide © 2003 – 2008 A. van Dam, Brown University

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

22

Scaling

- Not Rigid Body Transformation
- Idea: Move Points Toward/Away from Origin

$$S_x p = \begin{bmatrix} s_x & 0 & 0 & 0 \\ 0 & s_y & 0 & 0 \\ 0 & 0 & s_z & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} p_x \\ p_y \\ p_z \\ 1 \end{bmatrix} = \begin{bmatrix} s_x p_x \\ s_y p_y \\ s_z p_z \\ 1 \end{bmatrix}$$

Results of glScalef(2.0, -0.5, 1.0)
© 1993 Neider, Davis, Woo
<http://fly.cc.ferr.hr/~unreal/theredbook/>


- Homogeneous Coordinates Make It Easier

$$S_x p = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & \frac{1}{s_x} \end{bmatrix} \begin{bmatrix} p_x \\ p_y \\ p_z \\ 1 \end{bmatrix} = \begin{bmatrix} p_x \\ p_y \\ p_z \\ \frac{1}{s_x} \end{bmatrix}$$

- Result

$$\begin{bmatrix} s_x p_x \\ s_y p_y \\ s_z p_z \\ 1 \end{bmatrix}$$

- Ratio Need Not Be Uniform in x, y, z




Wikimedia Commons, 2008 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

23

Other Transformations

- Shear aka Skew (<http://bit.ly/hZfx3W>): "Tilting", Oblique Projection
- Perspective to Parallel View Volume ("D" in Foley et al.)
- See also
 - * http://en.wikipedia.org/wiki/Transformation_matrix
 - * <http://www.senocular.com/flash/tutorials/transmatrix/>



© Ramuseco Limited 2004-2005 All Rights Reserved.
<http://www.bobpowell.net/transformations.htm>



Wikimedia Commons, 2008 – Creative Commons License

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

24

Parametric Equation of a Line Segment

- Parametric form for line segment
 - * $X = x_0 + t(x_1 - x_0) \quad 0 \leq t \leq 1$
 - * $Y = y_0 + t(y_1 - y_0)$
 - * $P(t) = P_0 + t(P_1 - P_0)$
- Line in general: $t \in [-\infty, \infty]$
- Later: used for clipping (other intersection calculations)







© 2003 – 2008 A. van Dam, Brown University

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 2 of 41 Computing & Information Sciences Kansas State University

25

Importance to CG [1]: Vectors and Matrices

- Points as Vectors (w.r.t. Origin)
 
- Local Coordinate Systems (Spaces)
 


© 2009 Koen Samyn
<http://knol.google.com/k/matrices-for-3d-applications-view-transformation>


© 2007 IBM
<http://bit.ly/cS4h7g>

- Modelview transformation (MVT): model coordinates to world coordinates
- Viewing transformation: world coordinates to camera coordinates
- Several more to be covered in this course

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

26

Importance to CG [2]: Homogeneous Coordinates


- Problem: Need to Support Non-Linear Transformations
 - * Affine but not linear: e.g., translation
 - * Non-affine projections: e.g., perspective
- Solution: Use 4th Coordinate w
 - * Coordinates look like: $(x, y, z, w)^T$ with w kept normalized to 1
 - * Homogeneous coordinates (Wikipedia: <http://bit.ly/IG7RSk>)
 - * Specific case: barycentric (defined w.r.t. simplex, e.g., polygon) [http://en.wikipedia.org/wiki/Barycentric_coordinates_\(mathematics\)](http://en.wikipedia.org/wiki/Barycentric_coordinates_(mathematics)).

The OpenGL Programming Interface: Understanding Concepts © 2007 IBM <http://bit.ly/cS4h7g>

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 2 of 41 Computing & Information Sciences Kansas State University

27

Importance to CG [3]: T, R, S in Viewing Transformation

- Want to
 - * Specify arbitrary (user-defined) camera view (camera space aka CS)
 - * Take picture of standard world space (WS), from eye point towards at point
- Need to: Map CS to WS (Normalizing Transformation)


```


      Gvoid glutlookat( Gdouble eyeX, Gdouble eyeY, Gdouble eyeZ,
                     Gdouble centerX, Gdouble centerY, Gdouble centerZ,
                     Gdouble upX, Gdouble upY, Gdouble upZ)
      
```

© 2009 Roberto Toledo
<http://bit.ly/hvAZAe>

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

28

Importance to CG [4]: Intersections, Clipping


- Problem: Need to Find Intersection between Objects
 - * Clipping: line segments – edge of polygon (model) with clip edge
 - * Ray tracing: ray – from eye, through “screen” pixel, into scene
- Solution: Represent Objects using Parametric Equations
 - * Moving object or object being traced (e.g., ray): $P(t)$
 - * Find point where $P(t) = Q$ (boundary of second object)
 - * May have multiple solutions (as polynomials may have > 1 zero)
 - * Usually want closest one

© 2011 Wikipedia
[http://en.wikipedia.org/wiki/Ray_tracing_\(graphics\)](http://en.wikipedia.org/wiki/Ray_tracing_(graphics))


CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 2 of 41 Computing & Information Sciences Kansas State University

29

Textbook and Recommended Books



1st edition (outdated)




2nd edition


Required Textbook

Eberly, D. H. (2006). *3D Game Engine Design: A Practical Approach to Real-Time Computer Graphics*, second edition. San Francisco, CA: Morgan Kaufman.

Recommended References



2nd edition (OK to use)



3rd edition

Angel, E. O. (2007). *OpenGL: A Primer*, third edition. Reading, MA: Addison-Wesley. [2nd edition on reserve]

Shreiner, D., Woo, M., Neider, J., & Davis, T. (2009). *OpenGL® Programming Guide: The Official Guide to Learning OpenGL®, Versions 3.0 and 3.1, seventh edition*. [“The Red Book”]; use 7th ed. or later]

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 1 of 41 Computing & Information Sciences Kansas State University

30

Lab 0

- Warm-Up Lab
 - * Account set-up
 - * Linux environment
 - * Simple OpenGL exercise
- Basic Account Set-Up
 - * See <http://support.cis.ksu.edu> to understand KSU Department of CIS setup
 - * Make sure your CIS department account is set up
 - * If not, use SelfServ: <https://selfserv.cis.ksu.edu/selfserv/requestAccount>
- Linux Environment
 - * Make sure your CIS department account is set up
 - * Learn how to navigate, set your shell (see KSOL, <http://unixhelp.ed.ac.uk>)
 - * Lab 1 and first homeworks will ask you to render to local XWindows server
- Simple OpenGL exercise
 - * Watch OpenGL Primer Part 1 as needed
 - * Follow intro tutorials on “NeHe” (<http://nehe.gamedev.net>) as instructed
 - * Turn in: source code, screenshot as instructed in Lab 0 handout

CIS 536/636 & 736 (Introduction to) Computer Graphics Lecture 2 of 41 Computing & Information Sciences Kansas State University



Summary

- **Cumulative Transformation Matrices (CTM): T, R, S**
 - * Translation
 - * Rotation
 - * Scaling
 - * Setup for Shear/Skew, Perspective to Parallel – see Eberly, Foley *et al.*
- “Matrix Stack” in OpenGL: Premultiplication of Matrices
- Coming Up
 - * Parametric equations in clipping
 - * Intersection testing: ray-cube, ray-sphere, implicit equations (ray tracing)
- **Homogeneous Coordinates: What Is That 4th Coordinate?**
 - * http://en.wikipedia.org/wiki/Homogeneous_coordinates
 - * Crucial for ease of normalizing T, R, S transformations in graphics
 - * See: Slide 14 of this lecture
 - * Note: Slides 20 & 23 (T, S) versus 21 (R)
 - * Read about them in Eberly 2^o, Angel 3^o
 - * Special case: barycentric coordinates



Terminology

- **Cumulative Transformation Matrices (CTM): Translation, Rotation, Scaling**
- **Some Basic Analytic Geometry and Linear Algebra for CG**
 - * **Vector space (VS)** – set of vectors: addition, scalar multiplication; VS axioms
 - * **Affine space (AS)** – set of points with associated VS: vector difference, point-vector addition; AS axioms
 - * **Linear subspace** – nonempty subset S of $VS(V, +, \cdot)$ closed under $+$ and \cdot
 - * **Affine subspace** – nonempty subset S of $VS(V, +, \cdot)$ such that closure S' of S under point subtraction is a linear subspace of V
 - * **Dot product** – scalar-valued inner product $\langle \mathbf{u}, \mathbf{v} \rangle = \mathbf{u} \cdot \mathbf{v} = u_1v_1 + u_2v_2 + \dots + u_nv_n$
 - * **Orthogonality** – property of vectors \mathbf{u}, \mathbf{v} that $\mathbf{u} \cdot \mathbf{v} = 0$
 - * **Orthonormality** – basis containing pairwise-orthogonal unit vectors
 - * **Length (Euclidean norm)** – $\|\mathbf{v}\| = \sqrt{\mathbf{v} \cdot \mathbf{v}}$
 - * **Rigid body transformation** – one that preserves distance between points
 - * **Homogeneous coordinates** (esp. barycentric coordinates) – allow affine, projective transformations; “4-D” space for 3-D CG

