

Lecture 17 of 42

SVM Continued and Intro to Bayesian Learning: *Max a Posteriori* and Max Likelihood Estimation

Thursday, 22 February 2007

William H. Hsu

Department of Computing and Information Sciences, KSU

<http://www.kddresearch.org>

Readings:

Sections 6.1-6.5, Mitchell



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences

Lecture Outline

- Read Sections 6.1-6.5, Mitchell
- Overview of Bayesian Learning
 - Framework: using probabilistic criteria to generate hypotheses of all kinds
 - Probability: foundations
- Bayes's Theorem
 - Definition of conditional (posterior) probability
 - Ramifications of Bayes's Theorem
 - Answering probabilistic queries
 - MAP hypotheses
- Generating Maximum A Posteriori (MAP) Hypotheses
- Generating Maximum Likelihood Hypotheses
- Next Week: Sections 6.6-6.13, Mitchell; Roth; Pearl and Verma
 - More Bayesian learning: MDL, BOC, Gibbs, Simple (Naïve) Bayes
 - Learning over text



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences

Selection and Building Blocks

- **Restricted Case: Selection Only**
 - $\bar{f}(t)$ \equiv average fitness of population at time t
 - $m(s, t)$ \equiv number of instances of schema s in population at time t
 - $\hat{u}(s, t)$ \equiv average fitness of instances of schema s at time t

- **Quantities of Interest**

- Probability of selecting h in one selection step

$$P(h) = \frac{f(h)}{\sum_{i=1}^n f(h_i)}$$

- Probability of selecting an instance of s in one selection step

$$P(h \in s) = \sum_{h \in (s, p_i)} \frac{f(h)}{n \cdot \bar{f}(t)} = \frac{\hat{u}(s, t)}{n \cdot \bar{f}(t)} \cdot m(s, t)$$

- Expected number of instances of s after n selections

$$E[m(s, t+1)] = \frac{\hat{u}(s, t)}{\bar{f}(t)} \cdot m(s, t)$$



Bayesian Learning

- **Framework: Interpretations of Probability [Cheeseman, 1985]**
 - Bayesian subjectivist view
 - A measure of an agent's belief in a proposition
 - Proposition denoted by random variable (sample space: range)
 - e.g., $Pr(\text{Outlook} = \text{Sunny}) = 0.8$
 - Frequentist view: probability is the *frequency of observations* of an event
 - Logicist view: probability is inferential evidence in favor of a proposition
- **Typical Applications**
 - HCI: learning natural language; intelligent displays; decision support
 - Approaches: prediction; sensor and data fusion (e.g., bioinformatics)
- **Prediction: Examples**
 - Measure *relevant parameters*: temperature, barometric pressure, wind speed
 - Make statement of the form $Pr(\text{Tomorrow's-Weather} = \text{Rain}) = 0.5$
 - College admissions: $Pr(\text{Acceptance}) \equiv p$
 - Plain beliefs: unconditional acceptance ($p = 1$) or categorical rejection ($p = 0$)
 - Conditional beliefs: depends on reviewer (use probabilistic model)



Two Roles for Bayesian Methods

- **Practical Learning Algorithms**
 - [Naïve Bayes](#) (*aka simple Bayes*)
 - [Bayesian belief network \(BBN\) structure learning](#) and parameter estimation
 - Combining [prior knowledge \(prior probabilities\)](#) with observed data
 - A way to incorporate [background knowledge \(BK\)](#), *aka domain knowledge*
 - Requires prior probabilities (e.g., annotated rules)
- **Useful Conceptual Framework**
 - Provides “gold standard” for evaluating other learning algorithms
 - [Bayes Optimal Classifier \(BOC\)](#)
 - Stochastic Bayesian learning: [Markov chain Monte Carlo \(MCMC\)](#)
 - Additional insight into Occam’s Razor ([MDL](#))



Probabilistic Concepts versus Probabilistic Learning

- **Two Distinct Notions: Probabilistic Concepts, Probabilistic Learning**
- **Probabilistic Concepts**
 - Learned concept is a *function*, $c: X \rightarrow [0, 1]$
 - $c(x)$, the target value, denotes the probability that the label 1 (i.e., *True*) is assigned to x
 - Previous learning theory is applicable (with some extensions)
- **Probabilistic (i.e., Bayesian) Learning**
 - Use of a [probabilistic criterion](#) in selecting a hypothesis h
 - e.g., “most likely” h given observed data D : MAP hypothesis
 - e.g., h for which D is “most likely”: max likelihood (ML) hypothesis
 - May or may not be [stochastic](#) (i.e., search process might still be deterministic)
 - NB: h can be deterministic (e.g., a Boolean function) or probabilistic



Probability: Basic Definitions and Axioms

- **Sample Space (Ω):** Range of a Random Variable X
- **Probability Measure $Pr(\bullet)$**
 - Ω denotes a range of “events”; $X: \Omega$
 - **Probability** Pr , or P , is a *measure* over Ω
 - In a general sense, $Pr(X = x \in \Omega)$ is a measure of belief in $X = x$
 - $P(X = x) = 0$ or $P(X = x) = 1$: plain (aka categorical) beliefs (can't be revised)
 - All other beliefs are subject to revision
- **Kolmogorov Axioms**
 - 1. $\forall x \in \Omega . 0 \leq P(X = x) \leq 1$
 - 2. $P(\Omega) \equiv \sum_{x \in \Omega} P(X = x) = 1$
 - 3. $\forall X_1, X_2, \dots \ni i \neq j \Rightarrow X_i \wedge X_j = \emptyset .$
$$P\left(\bigcup_{i=1}^{\infty} X_i\right) = \sum_{i=1}^{\infty} P(X_i)$$
- **Joint Probability:** $P(X_1 \wedge X_2) \equiv$ Probability of the Joint Event $X_1 \wedge X_2$
- **Independence:** $P(X_1 \wedge X_2) = P(X_1) \cdot P(X_2)$



Kansas State University
Department of Computing and Information Sciences

CIS 732: Machine Learning and Pattern Recognition

Bayes's Theorem

- **Theorem**

$$P(h|D) = \frac{P(D|h)P(h)}{P(D)} = \frac{P(h \wedge D)}{P(D)}$$
- $P(h) \equiv$ Prior Probability of Hypothesis h
 - Measures initial beliefs (BK) before any information is obtained (hence prior)
- $P(D) \equiv$ Prior Probability of Training Data D
 - Measures probability of obtaining sample D (i.e., expresses D)
- $P(h | D) \equiv$ Probability of h Given D
 - $|$ denotes conditioning - hence $P(h | D)$ is a conditional (aka posterior) probability
- $P(D | h) \equiv$ Probability of D Given h
 - Measures probability of observing D given that h is correct (“generative” model)
- $P(h \wedge D) \equiv$ Joint Probability of h and D
 - Measures probability of observing D and of h being correct



Kansas State University
Department of Computing and Information Sciences

CIS 732: Machine Learning and Pattern Recognition

Choosing Hypotheses

- **Bayes's Theorem**

$$P(h|D) = \frac{P(D|h)P(h)}{P(D)} = \frac{P(h \wedge D)}{P(D)}$$

- **MAP Hypothesis**

- Generally want most probable hypothesis given the training data
- Define: $\arg \max_{x \in \Omega} [f(x)]$ ≡ the value of x in the sample space Ω with the highest $f(x)$
- **Maximum a posteriori hypothesis, h_{MAP}**

$$\begin{aligned} h_{MAP} &= \arg \max_{h \in H} P(h|D) \\ &= \arg \max_{h \in H} \frac{P(D|h)P(h)}{P(D)} \\ &= \arg \max_{h \in H} P(D|h)P(h) \end{aligned}$$

- **ML Hypothesis**

- Assume that $p(h_i) = p(h_j)$ for all pairs i, j (**uniform priors**, i.e., $P_H \sim \text{Uniform}$)
- Can further simplify and choose the **maximum likelihood hypothesis, h_{ML}**

$$h_{ML} = \arg \max_{h_i \in H} P(D|h_i)$$



Bayes's Theorem: Query Answering (QA)

- **Answering User Queries**

- Suppose we want to perform intelligent inferences over a database DB
 - Scenario 1: DB contains records (instances), some “labeled” with answers
 - Scenario 2: DB contains probabilities (**annotations**) over propositions
- QA: an application of **probabilistic inference**

- **QA Using Prior and Conditional Probabilities: Example**

- Query: *Does patient have cancer or not?*
- Suppose: patient takes a lab test and result comes back positive
 - Correct + result in only 98% of the cases in which disease is actually present
 - Correct - result in only 97% of the cases in which disease is not present
 - Only 0.008 of the entire population has this cancer

- $\alpha \equiv P(\text{false negative for } H_0 \equiv \text{Cancer}) = 0.02$ (NB: for 1-point sample)
- $\beta \equiv P(\text{false positive for } H_0 \equiv \text{Cancer}) = 0.03$ (NB: for 1-point sample)

$$\begin{array}{lll} P(\text{Cancer}) = 0.008 & P(+ | \text{Cancer}) = 0.98 & P(+ | \neg \text{Cancer}) = 0.03 \\ P(\neg \text{Cancer}) = 0.992 & P(- | \text{Cancer}) = 0.02 & P(- | \neg \text{Cancer}) = 0.97 \end{array}$$

- $P(+ | H_0) P(H_0) = 0.0078$, $P(+ | H_A) P(H_A) = 0.0298 \Rightarrow h_{MAP} = H_A \equiv \neg \text{Cancer}$



Basic Formulas for Probabilities

- **Product Rule (Alternative Statement of Bayes's Theorem)**


$$P(A|B) = \frac{P(A \cap B)}{P(B)}$$

- Proof: requires axiomatic set theory, as does Bayes's Theorem

- **Sum Rule**

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

- Sketch of proof (immediate from axiomatic set theory)
 - Draw a Venn diagram of two sets denoting events A and B
 - Let $A \cup B$ denote the event corresponding to $A \cup B$...



- **Theorem of Total Probability**

- Suppose events A_1, A_2, \dots, A_n are mutually exclusive and exhaustive
 - **Mutually exclusive:** $i \neq j \Rightarrow A_i \cap A_j = \emptyset$
 - **Exhaustive:** $\sum P(A_i) = 1$
- Then $P(B) = \sum_{i=1}^n P(B|A_i) \cdot P(A_i)$
- Proof: follows from product rule and 3rd Kolmogorov axiom



MAP and ML Hypotheses: A Pattern Recognition Framework

- **Pattern Recognition Framework**
 - Automated speech recognition (ASR), automated image recognition
 - Diagnosis
- **Forward Problem: One Step in ML Estimation**
 - Given: model h , observations (data) D
 - Estimate: $P(D|h)$, the “probability that the model generated the data”
- **Backward Problem: Pattern Recognition / Prediction Step**
 - Given: model h , observations D
 - Maximize: $P(h(X) = x | h, D)$ for a new X (i.e., find best x)
- **Forward-Backward (Learning) Problem**
 - Given: model space H , data D
 - Find: $h \in H$ such that $P(h|D)$ is maximized (i.e., MAP hypothesis)
- **More Info**
 - <http://www.cs.brown.edu/research/ai/dynamics/tutorial/Documents/HiddenMarkovModels.html>
 - Emphasis on a particular H (the space of hidden Markov models)



Bayesian Learning Example: Unbiased Coin [1]

- **Coin Flip**
 - Sample space: $\Omega = \{Head, Tail\}$
 - Scenario: given coin is either fair or has a 60% bias in favor of *Head*
 - $h_1 \equiv$ fair coin: $P(Head) = 0.5$
 - $h_2 \equiv$ 60% bias towards *Head*: $P(Head) = 0.6$
 - Objective: to decide between default (null) and alternative hypotheses
- **A Priori (aka Prior) Distribution on H**
 - $P(h_1) = 0.75$, $P(h_2) = 0.25$
 - Reflects learning agent's *prior beliefs* regarding H
 - Learning is revision of agent's beliefs
- **Collection of Evidence**
 - First piece of evidence: $d \equiv$ a single coin toss, comes up *Head*
 - Q: What does the agent believe now?
 - A: Compute $P(d) = P(d | h_1) P(h_1) + P(d | h_2) P(h_2)$



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences

Bayesian Learning Example: Unbiased Coin [2]

- **Bayesian Inference: Compute $P(d) = P(d | h_1) P(h_1) + P(d | h_2) P(h_2)$**
 - $P(Head) = 0.5 \cdot 0.75 + 0.6 \cdot 0.25 = 0.375 + 0.15 = 0.525$
 - This is the probability of the observation $d = Head$
- **Bayesian Learning**
 - Now apply Bayes's Theorem
 - $P(h_1 | d) = P(d | h_1) P(h_1) / P(d) = 0.375 / 0.525 = 0.714$
 - $P(h_2 | d) = P(d | h_2) P(h_2) / P(d) = 0.15 / 0.525 = 0.286$
 - *Belief has been revised downwards for h_1 , upwards for h_2*
 - The agent still thinks that the fair coin is the more likely hypothesis
 - Suppose we were to use the ML approach (i.e., assume equal priors)
 - Belief is revised upwards from 0.5 for h_1
 - Data then supports the bias coin better
- **More Evidence: Sequence D of 100 coins with 70 heads and 30 tails**
 - $P(D) = (0.5)^{50} \cdot (0.5)^{50} \cdot 0.75 + (0.6)^{70} \cdot (0.4)^{30} \cdot 0.25$
 - Now $P(h_1 | d) \ll P(h_2 | d)$



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences

Brute Force MAP Hypothesis Learner

- **Intuitive Idea: Produce Most Likely h Given Observed D**

- **Algorithm Find-MAP-Hypothesis (D)**

- 1. FOR each hypothesis $h \in H$

Calculate the conditional (i.e., posterior) probability:

$$P(h|D) = \frac{P(D|h)P(h)}{P(D)}$$

- 2. RETURN the hypothesis h_{MAP} with the highest conditional probability

$$h_{MAP} = \arg \max_{h \in H} P(h|D)$$



Relation to Concept Learning

- **Usual Concept Learning Task**

- Instance space X
- Hypothesis space H
- Training examples D

- **Consider *Find-S* Algorithm**

- Given: D
- Return: most specific h in the version space $VS_{H,D}$

- **MAP and Concept Learning**

- Bayes's Rule: Application of Bayes's Theorem
- What would Bayes's Rule produce as the MAP hypothesis?

- **Does *Find-S* Output A MAP Hypothesis?**



Bayesian Concept Learning and Version Spaces


- **Assumptions**
 - Fixed set of instances $\langle x_1, x_2, \dots, x_m \rangle$
 - Let D denote the set of classifications: $D = \langle c(x_1), c(x_2), \dots, c(x_m) \rangle$
- **Choose $P(D | h)$**
 - $P(D | h) = 1$ if h consistent with D (i.e., $\forall x_i . h(x_i) = c(x_i)$)
 - $P(D | h) = 0$ otherwise
- **Choose $P(h) \sim$ Uniform**
 - Uniform distribution: $P(h) = \frac{1}{|H|}$
 - Uniform priors correspond to “no background knowledge” about h
 - Recall: maximum entropy
- **MAP Hypothesis**

$$P(h | D) = \begin{cases} \frac{1}{|VS_{h,D}|} & \text{if } h \text{ is consistent with } D \\ 0 & \text{otherwise} \end{cases}$$



Evolution of Posterior Probabilities


- **Start with Uniform Priors**
 - Equal probabilities assigned to each hypothesis
 - Maximum uncertainty (entropy), minimum prior information



- **Evidential Inference**
 - Introduce data (evidence) D_1 : belief revision occurs
 - Learning agent revises conditional probability of inconsistent hypotheses to 0
 - Posterior probabilities for remaining $h \in VS_{h,D}$ revised upward
 - Add more data (evidence) D_2 : further belief revision



Characterizing Learning Algorithms by Equivalent MAP Learners



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences



Most Probable Classification of New Instances

- **MAP and MLE: Limitations**
 - Problem so far: “find the most likely hypothesis given the data”
 - Sometimes we just want the best classification of a new instance x , given D
- **A Solution Method**
 - Find best (MAP) h , use it to classify
 - *This may not be optimal, though!*
 - Analogy
 - Estimating a distribution using the mode versus the integral
 - One finds the maximum, the other the area
- **Refined Objective**
 - Want to determine the most probable classification
 - Need to *combine* the prediction of all hypotheses
 - Predictions must be *weighted by their conditional probabilities*
 - Result: Bayes Optimal Classifier (next time...)

CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences



Terminology

- **Introduction to Bayesian Learning**
 - Probability foundations
 - Definitions: subjectivist, frequentist, logician
 - (3) Kolmogorov axioms
- **Bayes's Theorem**
 - Prior probability of an event
 - Joint probability of an event
 - Conditional (posterior) probability of an event
- **Maximum A Posteriori (MAP) and Maximum Likelihood (ML) Hypotheses**
 - MAP hypothesis: highest conditional probability given observations (data)
 - ML: highest likelihood of generating the observed data
 - ML estimation (MLE): estimating parameters to find ML hypothesis
- **Bayesian Inference: Computing Conditional Probabilities (CPs) in A Model**
- **Bayesian Learning: Searching Model (Hypothesis) Space using CPs**



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences

Summary Points

- **Introduction to Bayesian Learning**
 - Framework: using probabilistic criteria to search H
 - Probability foundations
 - Definitions: subjectivist, objectivist; Bayesian, frequentist, logicist
 - Kolmogorov axioms
- **Bayes's Theorem**
 - Definition of conditional (posterior) probability
 - Product rule
- **Maximum A Posteriori (MAP) and Maximum Likelihood (ML) Hypotheses**
 - Bayes's Rule and MAP
 - Uniform priors: allow use of MLE to generate MAP hypotheses
 - Relation to version spaces, candidate elimination
- **Next Week: 6.6-6.10, Mitchell; Chapter 14-15, Russell and Norvig; Roth**
 - More Bayesian learning: MDL, BOC, Gibbs, Simple (Naïve) Bayes
 - Learning over text



CIS 732: Machine Learning and Pattern Recognition

Kansas State University
Department of Computing and Information Sciences